







Ref: A1212

- Fully certified extreme performance specification hinges
- Independently tested by APT Warrington to 500,000 cycles
- Self-lubricating
- Square and radius
-  CE marked
-  Kite marked
-  Fire tested - 60 minute fire door
-  BS EN1935

FINISH CODES:



PSS - POLISHED STAINLESS STEEL



SSS - SATIN STAINLESS STEEL



PVD - STAINLESS BRASS



ZP - ZINC PLATED STEEL




EB - ELECTRO BRASS STEEL




Thrust Bearing Stainless Steel Hinge

- PSS
- PVD
- SSS

Available as standard



A1210




A1211




Thrust Bearing Stainless Steel Hinge

- PSS
- PVD
- SSS

Available as standard



A1212




A1213




Thrust Bearing Stainless Steel Hinge

- PSS
- PVD
- SSS

Available as standard



A1214




A1215




Thrust Bearing Stainless Steel Hinge

- PSS
- PVD
- SSS

Available as standard



A1216




A1217




Lift Off Thrust Bearing Stainless Steel Hinge

- PSS
- PVD
- SSS

Available as standard



A1218
(LEFT-HANDED)



A1219
(RIGHT-HANDED)




- PSS
- PVD
- SSS

AI001




**Grade 304 Stainless Steel
Hinge Grade 13**



Variations

AI001R




AI008

Intumescent Hinge Liner

1/2hr = 1 liner per leaf

1hr = 2 liners per leaf




- PSS
- PVD
- SSS

AI002R




**Grade 304 Stainless Steel
Hinge Grade 12**



Variations


AI002






AI003R

Grade 304 Stainless Steel Hinge Grade II



Variations AI003




AI008

Intumescent Hinge Liner


1/2hr = 1 liner per leaf

1hr = 2 liners per leaf




AI004

Grade 316 Stainless Steel Hinge Grade I3



Variations AI004R






- PSS 
- PVD 
- SSS 




A1005

Grade 316 Stainless Steel Hinge Grade 13



Variations

A1005R




A1009

Intumescent Hinge Liner



1/2hr = 1 liner per leaf

1hr = 2 liners per leaf




AI006

Plain Hinge



AI007

Plain Hinge





55 Clifton Road • Cambridge CB1 7EF
Telephone 01223 414121 • **Fax** 01223 411002 • **Email** sales@acornironmongery.com
Website www.acornironmongery.com

Whilst Acorn Architectural Ironmongery Limited has taken every care to ensure the accuracy of information, data or advice contained in this literature, no liability in respect of such information or advice, whether given negligently or not, can be accepted by the company. Acorn Architectural Ironmongery Limited retains the right to amend the technical specification of any range of equipment shown without notice.

Produced by Refresh Media Design Limited.