

JEFLOCK ACCESSIBLE TOILET LOCK



JEFLOCK Accessible toilet lock

in association with  **Security & Safety**

This version for internal doors is designed especially to comply with new legislation Part M, DDA & BS8300.

The accessible toilet lock operates from the outside with a lever handle to release the roller latch bolt & has a red & white indicator release, in an emergency the coin release can be turned to release the dead bolt. The outside operation is no different to any other bathroom lock & does not require instructions.







The inside lever handle presses down to release the latch bolt & lifts up to throw the dead bolt as illustrated this is an unusual feature & therefore has lettering to read "lift handle to lock" this message is repeated in Braille.

Available in Normbau **ANTIBACTERIAL MICROBAN** standard colours & all other colours from the standard Normbau range in addition to metal finishes stainless steel, aluminium & brass. **MICROBAN** antibacterial is an active agent embedded into the polymer matrix of the nylon, the agent remains active for the life of the product, the agent captures the relevant pathogenic hospital germs & destroys the cell membrane, thereby obstructing the function, growth & regeneration of these bacteria. Human cells are not affected by the Microban agent.



Specification	
Lock Case	Satin stainless steel forend & strike plate. Roller bolt latch (less likely to cause injuries or damage to clothing than a normal latch bolt). Separate deadbolt with 78mm centres and 57mm backset
Furniture	MICROBAN Normbau colours, Normbau standard colours
Bolt through	Metal finishes: Satin stainless steel SSS, Polished stainless steel PSS, Brass, Bronze IBMA
Secure Fixings	
Lettering	Available in: Black letters on white background & Braille to read "lift handle to lock"

Available from:

Microban Normbau colours			Normbau standard colours				
							
22 Yellow NCS S 1080-Y10R RAL-DS 090 85 10	19 White NCS S 0500-N RAL-DS 9500 RAL 9016	11 Blue NCS S 3560-R80B RAL-DS 270 30 40	12 Red NCS S 2570-R RAL-DS 030 30 45 RAL 3003	13 Green NCS S 5540-G RAL-DS 160 30 38	35 Dark Red NCS S 6030-R10B RAL-DS 010 20 25 RAL 3005	36 Dark Green NCS S 7020-G RAL-DS 170 20 25 RAL 6005	74 Brown NCS S 8010-Y70R RAL-DS 040 20 19 RAL 8017
							
67 Manhattan NCS S 2502-Y RAL-DS 080 70 05	63 Slate Blue NCS S 4020-B RAL-DS 240 50 15		16 Black NCS S 9000-N RAL-DS 1500 RAL 9005	18 Dark Grey NCS S 7500-N RAL-DS 3500 RAL 7043	37 Dark Blue NCS S 7020-R80B RAL-DS 270 20 25 RAL 5003	61 Sandstone NCS S 3010-Y40R RAL-DS 060 70 15	65 Ivory NCS S 1010-Y RAL-DS 090 85 10



Units 9 & 10 | Crane Business Estate
Cambridge Road | Milton | Cambridge | CB24 6AZ
Telephone 01223 423 773 | Fax 01223 426 266
Email sales@acornironmongery.com

www.acornironmongery.com

Whilst Acorn Architectural Ironmongery Limited has taken every care to ensure the accuracy of information, data or advice contained in this literature, no liability in respect of such information or advice, whether given negligently or not, can be accepted by the company. Acorn Architectural Ironmongery Limited retains the right to amend the technical specification of any range of equipment shown without notice.

Produced by Refresh Media Design Limited.